

- 1/2" pressure balance valve with diverter and trim
- 8" showerhead with 12" wall-mounted shower arm
- Showerhead features no-clog, easy-clean spray nozzles
- 8" contemporary tub spout
- · Optional extension kit
- Showerhead flow rate ≤ 1.8 max gpm
- ADA
- CALGreen







Gold



24K Polished 24K Brushed Architectural Matte Black Black™





Polished Chrome




Polished Nickel



SteeInox® (Satin Nickel)



Architectural White







- Anti-scald protection
- 1/2" universal inlets/outlets with male threads
- Built-in service stops
- Push-button diverter
- For use with tub & shower configuration
- Supplied with protective plastic guard



24K Polished 24K Brushed Architectural Matte Black Gold



Gold



Black™





Polished Chrome



Polished Nickel



Steelnox® (Satin Nickel)



Architectural White






Product Features

- Anti-scald protection
- 1/2" universal inlets/outlets with male threads
- Built-in service stops
- Push-button diverter
- For use with tub & shower configuration
- Supplied with protective plastic guard

Warranty


• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en-nam/warranty





G-7090-LM40S-T



Information

- Single metal lever handle
- Decorative trim plate
- Includes push-button diverter
- Use with G-7055 pressure balancing rough valve for shower and tub configurations
- To complete package, you must order rough valve
- ADA



24K Polished 24K Brushed Architectural Matte Black Gold



Gold



Black™





Polished Chrome




Polished Nickel




SteeInox® (Satin Nickel)



Architectural White











- 1/4" thick
- 144 no-clog, easy-clean rubber spray nozzles
- Recommended use with ceiling shower arm
- Recommended for use at no more than 10 degrees tilt
- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen



Gold



24K Polished 24K Brushed Architectural Matte Black Gold



Black™





Polished Chrome



Nickel



SteeInox® (Satin Nickel)




Architectural White





Product Features

- 1/4" thick
- 144 no-clog, easy-clean rubber spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm



Available Finishes

- Polished Chrome G-8438-PC
- Brushed Nickel G-8438-PN
- Polished Nickel G-8438-BNi
- Unfinished Brass*
 G-8438-UB*
- Steelnox
 - G-8438-SN
- Olive Brass* G-8438-OB*
- Architectual Black with Chrome Accents*
 G-8438-PC/BK*
- Gold*G-8438-AU*
- Brushed Gold*
 G-8438-BAU

Code Compliance

CALGreen


Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty

^{*} Special order finish- call for availability





- Includes arm and square flange
- 1/2" NPT male thread inlet
- For use with all showerheads (especially G-8438)







Black™



24K Polished 24K Brushed Architectural Matte Black



Polished Chrome




Polished Nickel



SteeInox® (Satin Nickel)




Architectural









- Includes spout ring
- 1/2" NPT male thread inlet
- Tub spout flow rate ~ 8.7 gpm @60 psi







Black™



24K Polished 24K Brushed Architectural Matte Black



Polished Chrome



Polished Nickel



SteeInox® (Satin Nickel)



Architectural White





Product Features

- Includes spout ring
- 1/2" NPT male thread inlet

Tub Spout Flow Rate (gal/min)				
Model	Pressure (psi)			
	20 psi	40 psi	60 psi	80 psi
G-8575	4.62	6.37	7.79	9.01


Warranty


• Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty

Available Finishes

- Polished Chrome G-8575-PC
- Polished Nickel*
 G-8575-PN
- Matte Black*
 G-8575-MBK
- Architectural Black* G-8575-BK
- Architectural White*
 G-8575-WT
- Steelnox® (Satin Nickel) G-8575-SN
- 24K Gold*
 G-8575-AU
- Brushed 24K Gold*
 G-8575-BAU





^{*}Special order finish - call for availability