

BAGNO
Sade Floor-Mounted Vessel Filler
w/Deck-Mounted Handles
G-1815-C14

GRAFF®




Informazioni

- Floor-mount installation
- Aerated flow rate ≤ 1.2 max gpm
- Deck-mounted handle installation
- 9-7/8" spout reach
- 45"-48" spout height (approximate)
- Drain assembly not included
- Handles are required to install rough
- CALGreen

Finiture



Oro Lucido
24K



Oro
spazzolato
24K



Nero_Architec
tural Black™



Nero opaco




Bronzo Oliva



Cromo Lucido



Nickel lucido



Steelnox®
Nickel
Satinato



Bianco

G-1815-C14

Sade Collection

Floor-Mounted Vessel Filler w/Deck-Mounted Handles

GRAFF[®]
CUTTING EDGE DESIGN



Product Features

- Floor-mount installation
- Aerated flow rate < 1.2 max gpm
- Deck-Mounted handle installation
- 9-7/8" spout reach
- 45"-48" spout height (approximate)
- Drain assembly not included
- Handles are required to install rough

Available Finishes

- Polished Chrome
G-1815-C14-PC
- Polished Nickel
G-1815-C14-PN
- Unfinished Brass*
G-1815-C14-UB*
- Olive Bronze
G-1815-C14-OB
- Steelnox
G-1815-C14-SN
- Gold*
G-1815-C14-AU*
- Brushed Gold*
G-1815-C14-BAU*

* Special order finish- call for availability



Code Compliance

- CALGreen

Warranty

- Limited lifetime warranty

For complete warranty information go to
www.graff-designs.com/en-nam/warranty



BAGNO
Sade/Targa/Luna Lavatory Handle
Set - Deck-Mounted
C14-VS


GRAFF®



Finiture



Oro Lucido
24K



Oro
spazzolato
24K



Nero_Architec
tural Black™



Nero opaco




Bronzo Oliva



Cromo Lucido



Nickel lucido




Steelnox®
Nickel
Satinato



Bianco

C14-VS

SADE, TARGA, LUNA Series



BAGNO
Spout Connection Rough
G-1050


GRAFF®



Finiture



Oro Lucido
24K



Oro
spazzolato
24K



Nero_Architec
tural Black™



Nero opaco




Bronzo Oliva



Cromo Lucido



Nickel lucido




Steelnox®
Nickel
Satinato



Bianco

BAGNO
Sade Floor-Mounted Vessel Filler -
Spout Only
G-1815-T

GRAFF®




Informazioni

- Floor-mount installation
- Aerated Flow Rate ~2.2 gpm @60 psi
- 9-7/8" spout reach
- 45"-48" spout height (approximate)
- Drain assembly not included

Finiture



Oro Lucido
24K



Oro
spazzolato
24K



Nero_Architec
tural Black™



Nero opaco




Bronzo Oliva



Cromo Lucido



Nickel lucido



Stainless®
Nickel
Satinato



Bianco

G-1815-T SPOUT

SADE Series

