




Informazioni

- Floor-mounted installation
- Aerated Flow Rate ~9 gpm @45 psi
- Handshower flow rate ≤ 1.5 max gpm
- 9-7/8" spout reach
- 36-5/8" to 39-3/4" total height
- Includes handshower with 59" spiral flexible hose
- Optional in-line pressure balancing valve

Finiture



Oro Lucido
24K



Oro
spazzolato
24K



Nero_Architec
tural Black™



Nero opaco




Bronzo Oliva



Cromo Lucido



Nickel lucido



Steelnox®
Nickel
Satinato



Bianco

G-1854-LM36N

Sade Collection
Floor-Mounted Tub Filler

GRAFF[®]
CUTTING EDGE DESIGN



Product Features

- Floor-mounted installation
- Aerated flow rate ~9gpm @45 psi
- Handshower flow rate ≤ 1.5 max gpm
- 9-7/8" spout reach
- 36-5/8" to 39-3/4" total height
- Includes handshower with 59" spiral flexible hose
- Optional in-line pressure balancing valve

Available Finishes

- Polished Chrome
G-1854-LM36N-PC
- Polished Nickel
G-1854-LM36N-PN
- Unfinished Brass*
G-1854-LM36N-UB*
- Olive Bronze
G-1854-LM36N-OB
- Steelnox
G-1854-LM36N-SN
- Gold*
G-1854-LM36N-AU*
- Brushed Gold*
G-1854-LM36N-BAU*

* Special order finish- call for availability


Code Compliance

- ADA

Warranty

- Limited lifetime warranty

For complete warranty information go to
www.graff-designs.com/en-nam/warranty



The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 11/2017

www.graff-designs.com | phone: 800-954-4723

BAGNO
Spout Connection Rough
G-1045


GRAFF®



Finiture



Oro Lucido
24K



Oro
spazzolato
24K



Nero_Architec
tural Black™



Nero opaco




Bronzo Oliva



Cromo Lucido



Nickel lucido



Steelnox®
Nickel
Satinato



Bianco

G-1045

Spout Connection Rough




Product Features

- Mud guard displays minimum and maximum floor depth
- Rough can be installed in any orientation making it convenient to route pipes to the rough
- Trim can be rotated 360 degrees in any directions
- Averages 10 GPM with most trim

Warranty

- Limited lifetime warranty

For complete warranty information go to <http://www.graff-faucets.com/en/info/faqs>






Informazioni

- Floor-mounted installation
- Aerated Flow Rate ~9 gpm @45 psi
- Handshower flow rate ≤1.5 max gpm
- 9-7/8" spout reach
- 36-5/8" to 39-3/4" total height
- Includes handshower with 59" spiral flexible hose
- Optional in-line pressure balancing valve

Finiture



Oro Lucido
24K



Oro
spazzolato
24K



Nero_Architec
tural Black™



Nero opaco




Bronzo Oliva



Cromo Lucido



Nickel lucido



Steelnox®
Nickel
Satinato



Bianco

G-1854-LM36N

Sade Collection
Floor-Mounted Tub Filler

GRAFF[®]
CUTTING EDGE DESIGN



Product Features

- Floor-mounted installation
- Aerated flow rate ~9gpm @45 psi
- Handshower flow rate ≤ 1.5 max gpm
- 9-7/8" spout reach
- 36-5/8" to 39-3/4" total height
- Includes handshower with 59" spiral flexible hose
- Optional in-line pressure balancing valve

Available Finishes

- Polished Chrome
G-1854-LM36N-PC
- Polished Nickel
G-1854-LM36N-PN
- Unfinished Brass*
G-1854-LM36N-UB*
- Olive Bronze
G-1854-LM36N-OB
- Steelnox
G-1854-LM36N-SN
- Gold*
G-1854-LM36N-AU*
- Brushed Gold*
G-1854-LM36N-BAU*

* Special order finish- call for availability


Code Compliance

- ADA

Warranty

- Limited lifetime warranty

For complete warranty information go to
www.graff-designs.com/en-nam/warranty



The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 11/2017

www.graff-designs.com | phone: 800-954-4723