BAGNO

Miscelatore vasca a colonna

G-3654-LM36N



Informazioni

- Floor-mount installation
- Aerated Flow Rate ~9 gpm @45 psi
- 9-7/8” spout reach
- 33-7/16" to 36-5/8” ~total height
- Includes handshower with 59" spiral flexible hose
- Optional in-line pressure balancing valve
- Handshower flow rate ≤1.5 max gpm

Finiture

Oro Lucido 24K

Oro spazzolato 24K

Nero_Architectural Black™

Nichel spazzolato

Nero opaco

Cromo Lucido

Nickel lucido

Steelnox® Nickel Satinato

Bianco

G-3654

TARGA Series



GRAFF®

CUTTING EDGE DESIGN

BAGNO

Spout Connection Rough

G-1045

Finiture

Oro Lucido 24K

Oro spazzolato 24K

Nero_Architectural Black™

Nichel spazzolato

Nero opaco

Cromo Lucido

Nickel lucido

Steelnox® Nickel Satinato

Bianco

G-1045
Spout Connection Rough

Product Features

- Mud guard displays minimum and maximum floor depth
- Rough can be installed in any orientation making it convenient to route pipes to the rough
- Trim can be rotated 360 degrees in any directions
- Averages 10 GPM with most trim

Warranty

- Limited lifetime warranty

For complete warranty information go to http://www.graff-faucets.com/en/info/faqs



The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 07/2017.

BAGNO

Miscelatore vasca a colonna

G-3654-LM36N



Informazioni

- Floor-mount installation
- Aerated Flow Rate ~9 gpm @45 psi
- 9-7/8” spout reach
- 33-7/16" to 36-5/8” ~total height
- Includes handshower with 59" spiral flexible hose
- Optional in-line pressure balancing valve
- Handshower flow rate ≤1.5 max gpm

Finiture

Oro Lucido 24K

Oro spazzolato 24K

Nero_Architectural Black™

Nichel spazzolato

Nero opaco

Cromo Lucido

Nickel lucido

Steelnox® Nickel Satinato

Bianco

G-3654

TARGA Series



GRAFF®

CUTTING EDGE DESIGN